

his

(FILE 'HOME' ENTERED AT 12:15:37 ON 01 APR 2010)

FILE 'REGISTRY' ENTERED AT 12:16:11 ON 01 APR 2010

L1 0 S P-88-8991/CN  
L2 0 S P-88-8991

FILE 'CAPLUS' ENTERED AT 12:16:43 ON 01 APR 2010

L3 2 S P(W)88(W)8991  
L4 ANALYZE L3 1-2 RN : 25 TERMS

FILE 'REGISTRY' ENTERED AT 12:17:45 ON 01 APR 2010

L5 25 S L4  
L6 13 S L5 AND PIPERIDIN?

FILE 'CAPLUS' ENTERED AT 12:18:51 ON 01 APR 2010

L7 124 S L6

FILE 'REGISTRY' ENTERED AT 12:18:59 ON 01 APR 2010

=> d 16 1-13

L6 ANSWER 1 OF 13 REGISTRY COPYRIGHT 2010 ACS on SIN

RN 849438-16-0 REGISTRY

ED Entered SIN: 28 Apr 2005

CN Decanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester, ethanedioate (1:1) (CA INDEX NAME)

FS STEREOSEARCH

MF C34 H47 F N2 O5 . C2 H2 O4

SR CA


LC STN Files: CA, CAPLUS, USPATFULL

CM 1

CRN 849437-82-7

CMF C34 H47 F N2 O5

Absolute stereochemistry. Rotation (-).



CM 2

CRN 144-62-7  
CMF C2 H2 O4




1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 2 OF 13 REGISTRY COPYRIGHT 2010 ACS on STN  
RN 849438-06-8 REGISTRY  
ED Entered STN: 28 Apr 2005  
CN 5,8,11,14,17-Eicosapentaenoic acid,  
(1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-  
methoxyphenyl]ethyl ester (CA INDEX NAME)  
FS STEREOSEARCH  
MF C44 H57 F N2 O5  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Absolute stereochemistry.  
Double bond geometry unknown.

PAGE 1-A






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 3 OF 13 REGISTRY COPYRIGHT 2010 ACS on SIN  
RN 849438-02-4 REGISTRY  
ED Entered SIN: 28 Apr 2005  
CN 4,7,10,13,16,19-Docosahexaenoic acid,  
(1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)  
FS STEREOSEARCH  
MF C46 H59 F N2 O5  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Absolute stereochemistry.  
Double bond geometry unknown.






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 4 OF 13 REGISTRY COPYRIGHT 2010 ACS on SIN  
RN 849437-95-2 REGISTRY  
ED Entered SIN: 28 Apr 2005  
CN Hexadecanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)  
FS STEREOSEARCH  
MF C40 H59 F N2 O5  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Absolute stereochemistry. Rotation (-).




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 5 OF 13 REGISTRY COPYRIGHT 2010 ACS on SIN  
RN 849437-92-9 REGISTRY

ED Entered STN: 28 Apr 2005  
 CN Tetradecanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C38 H55 F N2 O5  
 SR CA  
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Absolute stereochemistry. Rotation (-).




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 6 OF 13 REGISTRY COPYRIGHT 2010 ACS on STN  
 RN 849437-90-7 REGISTRY  
 ED Entered STN: 28 Apr 2005  
 CN Dodecanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C36 H51 F N2 O5  
 SR CA  
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Absolute stereochemistry. Rotation (-).




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 7 OF 13 REGISTRY COPYRIGHT 2010 ACS on STN  
RN 849437-88-3 REGISTRY  
ED Entered STN: 28 Apr 2005  
CN Octanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)  
FS STEREOSEARCH  
MF C32 H43 F N2 O5  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Absolute stereochemistry. Rotation (-).




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 8 OF 13 REGISTRY COPYRIGHT 2010 ACS on STN

RN 849437-86-1 REGISTRY  
 ED Entered STN: 28 Apr 2005  
 CN Butanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C28 H35 F N2 O5  
 SR CA  
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Absolute stereochemistry. Rotation (-).




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 9 OF 13 REGISTRY COPYRIGHT 2010 ACS on STN  
 RN 849437-84-9 REGISTRY  
 ED Entered STN: 28 Apr 2005  
 CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy- $\alpha$ -methyl-, 1-acetate, (aS)- (CA INDEX NAME)  
 OTHER CA INDEX NAMES:  
 CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy- $\alpha$ -methyl-, acetate (ester), (aS)- (9CI)  
 OTHER NAMES:  
 CN (S)-(-)-1-[4-[3-[4-(6-Fluorobenzo[d]isoxazol-3-yl)piperidin-1-yl]propoxy]-3-methoxyphenyl]ethyl acetate  
 FS STEREOSEARCH  
 MF C26 H31 F N2 O5  
 SR CA  
 LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Absolute stereochemistry. Rotation (-).




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 10 OF 13 REGISTRY COPYRIGHT 2010 ACS on STN  
RN 849437-82-7 REGISTRY  
ED Entered STN: 28 Apr 2005  
CN Decanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)  
FS STEREOSEARCH  
MF C34 H47 F N2 O5  
CI COM  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, USPATFULL

Absolute stereochemistry. Rotation (-).



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 11 OF 13 REGISTRY COPYRIGHT 2010 ACS on STN  
RN 501373-88-2 REGISTRY  
ED Entered STN: 02 Apr 2003



CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy- $\alpha$ -methyl-, (aS)- (CA  
INDEX NAME)  
FS STEREOSEARCH  
MF C24 H29 F N2 O4  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL

Absolute stereochemistry. Rotation (-).




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

3 REFERENCES IN FILE CA (1907 TO DATE)  
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 12 OF 13 REGISTRY COPYRIGHT 2010 ACS on STN  
RN 501373-87-1 REGISTRY  
ED Entered STN: 02 Apr 2003  
CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy- $\alpha$ -methyl-, (aR)- (CA  
INDEX NAME)  
FS STEREOSEARCH  
MF C24 H29 F N2 O4  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L6 ANSWER 13 OF 13 REGISTRY COPYRIGHT 2010 ACS on STN  
RN 133454-47-4 REGISTRY  
ED Entered STN: 26 Apr 1991  
CN Ethanone, 1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]- (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 1,2-Benzisoxazole, ethanone deriv.  
OTHER NAMES:  
CN HP 873  
CN Iloperidone  
CN Zomaril  
DR 148560-84-3  
MF C24 H27 F N2 O4  
CI COM  
SR CA  
LC STN Files: ADISINSIGHT, ADISNEWS, BIOSIS, BIOTECHNO, CA, CAPLUS, CASREACT, CBNB, CHEMCATS, CHEMLIST, CIN, CSCHEM, EMBASE, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK\*, PROMT, PROUSDDR, RTECS\*, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL  
(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

120 REFERENCES IN FILE CA (1907 TO DATE)  
5 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
124 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> s 133454-47-4  
L8 1 133454-47-4  
(133454-47-4/RN)

=> s 16 not 18  
L9 12 L6 NOT L8

=> fil caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	28.28	86.08
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-0.85

FILE 'CAPLUS' ENTERED AT 12:20:04 ON 01 APR 2010

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 1 Apr 2010 VOL 152 ISS 14  
 FILE LAST UPDATED: 31 Mar 2010 (20100331/ED)  
 REVISED CLASS FIELDS (/NCL) LAST RELOADED: Dec 2009  
 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Dec 2009

CAPLUS now includes complete International Patent Classification (IPC) reclassification data for the first quarter of 2010.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 19

L10 3 L9

=> d bib abs hitstr 1-3

L10 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2010 ACS on STN  
 AN 2005:300440 CAPLUS  
 DN 142:373605  
 TI Preparation of fatty acid esters of the reversible lloperidone metabolite P-88-8991  
 IN Nozulak, Joachim; Kalkman, Hans O.  
 PA Novartis A.-G., Switz.; Novartis Pharma G.m.b.H.  
 SO PCT Int. Appl., 15 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	---	-----	-----	-----
PI	WO 2005030763	A1	20050407	WO 2004-EP10938	20040930
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				
	CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EG, ES, FI, GB, GD,				
	GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,				
	LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,				
	NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,				
	TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,				
	AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,				
	EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,				
	SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,				
	SN, TD, TG				

EP 1668003	A1	20060614	EP 2004-787069	20040930
EP 1668003	B1	20071114		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
JP 2007507455	T	20070329	JP 2006-530057	20040930
AT 378331	T	20071115	AT 2004-787069	20040930
PT 1668003	E	20071231	PT 2004-787069	20040930
ES 2297493	T3	20080501	ES 2004-787069	20040930
US 20070197595	A1	20070823	US 2006-575040	20061206
PRAI GB 2003-22994	A	20031001		
WO 2004-EP10938	W	20040930		


ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT  
OS CASREACT 142:373605; MARPAT 142:373605  
GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB The present invention relates to novel fatty acid esters I [R = C1-40-alkyl, C2-40-alkenyl; as free base or acid addition salt] of the reversible iloperidone metabolite P-88-8991, their preparation, their use as pharmaceuticals and pharmaceutical compns. containing them. The process comprises reacting iloperidone metabolite P-88-8991 (II) with RC(O)X [X = halogen]. Thus, fatty ester III was prepared from iloperidone via asym. reduction with (3aR)-1-Methyl-3,3-diphenyltetrahydropyrrolo[1,2-c][1,3,2]oxazaborole borane complex (IV.BH3) followed by acylation with caproyl chloride. I can be used for the treatment of psychotic disorders (no data).

IT 501373-88-2P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(preparation and acylation of, by fatty acid chlorides; preparation of fatty acid esters of the reversible iloperidone metabolite P-88-8991)  
RN 501373-88-2 CAPLUS  
CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy- $\alpha$ -methyl-, ( $\alpha$ S)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



IT 849437-82-7P 849437-84-9P,  
(S)-(-)-1-(4-[3-[4-(6-Fluorobenzo[d]isoxazol-3-yl)piperidin-1-yl]propoxy]-3-methoxyphenyl)ethyl acetate 849437-86-1P


849437-88-3P 849437-90-7P 849437-92-9P  
 849437-95-2P 849438-02-4P 849438-06-8P  
 849438-16-0P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)  
 (preparation of fatty acid esters of the reversible iloperidone metabolite  
 P-88-8991)

RN 849437-82-7 CAPLUS

CN Decanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 849437-84-9 CAPLUS

CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy- $\alpha$ -methyl-, 1-acetate, ( $\alpha$ S)- (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 849437-86-1 CAPLUS

CN Butanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 849437-88-3 CAPLUS

CN Octanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 849437-90-7 CAPLUS

CN Dodecanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 849437-92-9 CAPLUS

CN Tetradeconoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 849437-95-2 CAPLUS

CN Hexadecanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 849438-02-4 CAPLUS

CN 4, 7, 10, 13, 16, 19-Docosahexaenoic acid,  
 (1S)-1-[4-{3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy}-3-methoxyphenyl]ethyl ester (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.

PAGE 1-A








RN 849438-06-8 CAPLUS

CN 5,8,11,14,17-Eicosapentaenoic acid,  
(1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.





RN 849438-16-0 CAPLUS


CN Decanoic acid, (1S)-1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]ethyl ester, ethanedioate (1:1) (CA INDEX NAME)

CM 1

CRN 849437-82-7

CMF C34 H47 F N2 O5

Absolute stereochemistry. Rotation (-).



CM 2

CRN 144-62-7

CMF C2 H2 O4



RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2010 ACS on STN

AN 2004:60283 CAPLUS

DN 140:117396

TI Injectable depot formulation comprising crystals of iloperidone

IN Wieckhusen, Dierk; Glausch, Alexandra; Ahlheim, Markus

PA Novartis AG, Switz.; Novartis Pharma GmbH

SO PCT Int. Appl., 20 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004006886	A2	20040122	WO 2003-EP7619	20030714
	WO 2004006886	A3	20040219		
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LT, LU, LV, MA, MD, MK, MN, MX, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SE, SG, SK, SY, TJ, TM, TN, TR, TT, UA, US, UZ, VC, VN, YU, ZA, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2492467	A1	20040122	CA 2003-2492467	20030714
	CA 2492467	C	20100316		
	AU 2003281154	A1	20040202	AU 2003-281154	20030714
	AU 2003281154	B2	20061012		
	EP 1523335	A2	20050420	EP 2003-756455	20030714
	EP 1523335	B1	20061220		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	JP 2005533093	T	20051104	JP 2004-520629	20030714
	NZ 537598	A	20060728	NZ 2003-537598	20030714
	AT 348635	T	20070115	AT 2003-756455	20030714
	PT 1523335	E	20070228	PT 2003-756455	20030714
	ES 2279153	T3	20070816	ES 2003-756455	20030714
	ZA 2004010323	A	20060628	ZA 2004-10323	20041222
	US 20050250813	A1	20051110	US 2005-521064	20050112
	HK 1076029	A1	20070706	HK 2005-108084	20050915
	US 20090099232	A1	20090416	US 2008-254925	20081021
PRAI	GB 2002-16416	A	20020715		
	WO 2003-EP7619	W	20030714		
	US 2005-521064	B1	20050112		

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

OS MARPAT 140:117396

AB An injectable depot formulation comprises crystals of iloperidone or its derivative Depot formulations containing crystals of iloperidone or its metabolite have the following advantages: (i) release of the crystals in plasma can be correlated with the size of the crystals; (ii) absorption of the crystals in plasma can be correlated with the size of the crystals; (iii) the particle size of the crystals can be controlled by crystal engineering and/or milling; and (iv) the crystals are stable upon storage, and stable to sterilization procedures, such as  $\gamma$ -irradiation. Thus, iloperidone was treated with BuOAc, the solution was cooled, and seeded with iloperidone. The suspension obtained was filtered and the filter cake was dried at 50-60° to give the iloperidone crystals.

IT 501373-87-1 501373-88-2

RL: PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES


(Uses)

(injectable depot formulation comprising crystals of iloperidone)

RN 501373-87-1 CAPLUS

CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy- $\alpha$ -methyl-, (aR)- (CA INDEX NAME)


Absolute stereochemistry.



RN 501373-88-2 CAPLUS

CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy- $\alpha$ -methyl-, (aS)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2010 ACS on STN

AN 2003:202629 CAPLUS

DN 138:238170

TI Preparation of optical isomers of an iloperidone metabolite as antipsychotics.

IN Grimler, Dominique; Kalkman, Hans O.; Yin, Hequn

PA Novartis A.-G., Switz.; Novartis-Erfindungen Verwaltungsgesellschaft m.b.H.

SO PCT Int. Appl., 15 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003020707	A1	20030313	WO 2002-EP9700	20020830
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LT, LU, LV, MA, MD, MK, MN, MX, NO, NZ, OM, PH, PL, PT, RO, RU, SE, SG, SI, SK, TJ, TM, TN, TR, TT, UA, US, UZ, VC, VN, YU, ZA, ZW				
	RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR				
	AU 2002331093	A1	20030318	AU 2002-331093	20020830
	EP 1425272	A1	20040609	EP 2002-767454	20020830
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
	JP 2005504783	T	20050217	JP 2003-524978	20020830
	US 20050020632	A1	20050127	US 2004-488128	20040916
	US 20090176739	A1	20090709	US 2009-403755	20090313
PRAI	US 2001-316390P	P	20010831		
	WO 2002-EP9700	W	20020830		
	US 2004-488128	A1	20040916		

## ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

AB (R)- and (S)-1-[4-[3-[4-(6-fluorobenzo[d]isoxazol-3-yl)piperidin-1-yl]propoxy]-3-methoxyphenyl]ethanol were prepared. Thus, iloperidone in CH<sub>2</sub>Cl<sub>2</sub> was added to a 0° solution of (3aR,7R)-1-methyl-3,3-diphenyltetrahydropyrrolo[1,2-c][1,3,2]oxazaborole borane complex in CH<sub>2</sub>Cl<sub>2</sub> over 90 min. followed by stirring at 0° for 20 h to give (S)-1-[4-[3-[4-(6-fluorobenzo[d]isoxazol-3-yl)piperidin-1-yl]propoxy]-3-methoxyphenyl]ethanol. The latter bound to adrenergic α<sub>1</sub> and α<sub>2C</sub> receptors with pK<sub>i</sub> = 9.2 and 7.7, resp.

IT 501373-87-1P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

((R)-P-88-8991; preparation of optical isomers of an iloperidone metabolite as antipsychotics)

RN 501373-87-1 CAPLUS

CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy-α-methyl-, (αR)- (CA INDEX NAME)

Absolute stereochemistry.



IT 501373-88-2P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES


(Uses)

((S)-P-88-8991; preparation of optical isomers of an iloperidone metabolite as antipsychotics)

RN 501373-88-2 CAPLUS

CN Benzenemethanol, 4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxy- $\alpha$ -methyl-, ( $\alpha$ S)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



OSC.G 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)  
RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d 18

YOU HAVE REQUESTED DATA FROM FILE 'REGISTRY' - CONTINUE? (Y)/N:y

L8 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2010 ACS on STN

RN 133454-47-4 REGISTRY

ED Entered STN: 26 Apr 1991

CN Ethanone, 1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]- (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1,2-Benzisoxazole, ethanone deriv.

OTHER NAMES:

CN HP 873

CN Iloperidone

CN Zomaril

DR 148560-84-3


MF C24 H27 F N2 O4

CI COM

SR CA

LC STN Files: ADISINSIGHT, ADISNEWS, BIOSIS, BIOTECHNO, CA, CAPLUS, CASREACT, CBNB, CHEMCATS, CHEMLIST, CIN, CSCHEM, EMBASE, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK\*, PROMT, PROUSDDR, RTECS\*, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL

(\*File contains numerically searchable property data)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

120 REFERENCES IN FILE CA (1907 TO DATE)  
 5 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 124 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> s l8

L11 124 L8

=> d bib abs hitstr 124

L11 ANSWER 124 OF 124 CAPLUS COPYRIGHT 2010 ACS on STN

AN 1991:185553 CAPLUS

DN 114:185553

OREF 114:31351a,31354a

TI Preparation of N-(aryloxyalkyl)heteroarylpiperidines and  
 -heteroarylpiperazines as antipsychotic agents

IN Strupczewski, Joseph Thomas; Helsley, Grover Cleveland; Chiang, Yulin;  
 Bordeaux, Kenneth J.

PA Hoechst-Roussel Pharmaceuticals, Inc., USA

SO Eur. Pat. Appl., 56 pp.

CODEN: EPXXDW




DT Patent

LA English

FAN.CNT 5

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 402644	A1	19901219	EP 1990-109208	19900516
	EP 402644	B1	19950816		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
	AT 126512	T	19950915	AT 1990-109208	19900516
	ES 2076253	T3	19951101	ES 1990-109208	19900516
	DD 300433	A5	19920611	DD 1990-340772	19900517
	IL 94425	A	19940227	IL 1990-94425	19900517
	CZ 282385	B6	19970716	CZ 1990-2425	19900517
	SK 279474	B6	19981104	SK 1990-2425	19900517
	FI 104072	B1	19991115	FI 1990-2449	19900517
	CA 2017193	A1	19901119	CA 1990-2017193	19900518
	CA 2017193	C	20000627		
	NO 9002214	A	19901120	NO 1990-2214	19900518
	NO 177301	B	19950515		
	NO 177301	C	19950823		
	ZA 9003830	A	19910227	ZA 1990-3830	19900518
	JP 03063263	A	19910319	JP 1990-127090	19900518
	JP 06062580	B	19940817		
	HU 58720	A2	19920330	HU 1990-3090	19900518
	HU 218200	B	20000628		
	PL 163965	B1	19940531	PL 1990-285247	19900518
	RU 2062776	C1	19960627	RU 1990-4743876	19900518

	KR 157308	B1	19981116	KR 1990-7102	19900518
	CN 1048037	A	19901226	CN 1990-103721	19900519
	CN 1086387	C	20020619		
	AU 9055770	A	19901122	AU 1990-55770	19900523
	AU 640653	B2	19930902		
	RU 2147583	C1	20000420	RU 1995-115403	19950906
	CZ 288464	B6	20010613	CZ 1996-3628	19961210
	CZ 288710	B6	20010815	CZ 1996-3629	19961210
	FI 9901869	A	19990902	FI 1999-1869	19990902
	RU 2239434	C2	20041110	RU 1999-126501	19991220
	CN 1305812	A	20010801	CN 2000-130979	20001106
	CN 1223348	C	20051019		
	AU 770976	B2	20040311	AU 2001-79385	20011012
	HK 1038316	A1	20060721	HK 2001-109127	20011227
PRAI	US 1989-354411	A	19890519		
	US 1989-456790	A	19891229		
	RU 1995-115403	A	19950906		
	CZ 1985-282300	A3	19970716		
	AU 1998-97207	A3	19981218		
OS	MARPAT 114:185553				
GI					




AB The title compds. I [R = Q; X = O, S, (substituted) NH; p = 1,2; Y = H, C1-6 alkyl, OH, Cl, F, Br, iodo, C1-6 alkoxy, CF<sub>3</sub>, NO<sub>2</sub>, NH<sub>2</sub>; when p = 1, Y = alkoxy; when p = 2, X = O; Z = CH, N; n = 2-5; R<sup>1</sup> = H, alkyl, C1-6 alkoxy, OH, CO<sub>2</sub>H, Cl, F, Br, iodo, NO<sub>2</sub>, mono- or dialkylamino, CF<sub>3</sub>, cyano, CONH<sub>2</sub>, alkanoyl, aroyl, (substituted) Ph, etc.], having antipsychotic and/or analgesic activity, are prepared by reaction of I (R = H) with phenoxyalkyl halides QX1 (X1 = Cl, Br). Thus, a mixture of 6-fluoro-3-(4-piperidinyl)-1,2-benzisoxazole-HCl, 1-[4-(3-chloropropoxy)-3-methoxyphenyl]ethanone, and K<sub>2</sub>CO<sub>3</sub> in DMF was stirred 16 h at 90° to give 58% a benzisoxazole (II). A total of 53 I were prepared II inhibited the apomorphine-induced climbing behavior in mice with ED50 of 0.095 mg/kg, i.p.

IT 133454-47-4P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation of, as analgesic and antipsychotic)

RN 133454-47-4 CAPLUS

CN Ethanone, 1-[4-[3-[4-(6-fluoro-1,2-benzisoxazol-3-yl)-1-piperidinyl]propoxy]-3-methoxyphenyl]- (CA INDEX NAME)





OSC.G 23 THERE ARE 23 CAPLUS RECORDS THAT CITE THIS RECORD (24 CITINGS)